

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Trade name: Cleaning Tablets

UFI: D300-P0FQ-V007-G3TT

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

General use: Cleaning agent

### 1.3 Details of the supplier of the safety data sheet

Company name: IBEDA-CHEMIE Klaus P. Christ GmbH

Street/POB-No.: Am Eichelgärtchen 32

Postal Code, city: DE-56283 Halsenbach

E-mail: info@ibeda-chemie.com

Telephone: +49 (0)6747-9501-0

Telefax: +49 (0)6747-9501-11

Department responsible for information:

Herr Christ, Telephone: +49 (0)6747-95010 (Only available during office hours.)

Additional information:

Source of supply, other:

BSH Home Appliances Ltd.

Customer Service

Grand Union House

Old Wolverton Road

Wolverton

Milton Keynes MK12 5PT

E-mail: mks-spares@bshg.com

Telephone: 0344 892 8921

Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

### 1.4 Emergency telephone number

**Great Britain:****In case of a medical emergency following exposure to a chemical, the public should call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24 (UK only).**

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Classification according to EC regulation 1272/2008 (CLP)**

Skin Irrit. 2; H315 Causes skin irritation.

Eye Dam. 1; H318 Causes serious eye damage.

### 2.2 Label elements

**Labelling (CLP)**

Signal word:

**Danger**

Hazard statements:

H315

Causes skin irritation.

H318

Causes serious eye damage.

Precautionary statements:	P102	Keep out of reach of children.
	P280	Wear protective gloves/protective clothing/eye protection/face protection.
	P302+P352	IF ON SKIN: Wash with plenty of water/soap.
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P332+P313	If skin irritation occurs: Get medical advice/attention.

### Special labelling

Text for labelling: Contains Potassium peroxymonosulfate.  
 Labelling for contents according to regulation (EC) No 648/2004, annex VII:  
 Contains

- 5% or over but less than 15% phosphonates
- 15% or over but less than 30% oxygen-based bleaching agents

### 2.3 Other hazards

May be harmful if swallowed. May intensify fire; oxidiser.  
 Contains phosphonates. May contribute to the eutrophication of water supplies.  
 Contains Sodium percarbonate: May intensify fire; oxidiser.

Endocrine disrupting properties, Results of PBT and vPvB assessment:

No data available

## SECTION 3: Composition/information on ingredients

3.1 Substances: not applicable

### 3.2 Mixtures

Chemical characterisation: Mixture of inorganic salts with organic materials

Hazardous ingredients:

Identifiers	Designation Classification	Content
EC No. 207-838-8 CAS 497-19-8	Sodium carbonate Eye Irrit. 2; H319.	20 - 30 %
REACH 01-2119457268-30-xxxx EC No. 239-707-6 CAS 15630-89-4	Sodium percarbonate Ox. Sol. 3; H272. Acute Tox. 4; H302. Eye Dam. 1; H318.  Specific concentration limits (SCL): Eye Dam. 1; H318: C > 25 % Eye Irrit. 2; H319: 7.5 % ≤ C < 25 %	< 25 %
REACH 01-2119457026-42-xxxx EC No. 201-069-1 CAS 77-92-9	Citric acid, anhydrous Eye Irrit. 2; H319. STOT SE 3; H335.	< 10 %
EC No. 274-778-7 CAS 70693-62-8	Potassium peroxymonosulfate Met. Corr. 1; H290. Acute Tox. 4; H302. Skin Corr. 1B; H314. Aquatic Chronic 3; H412.	< 5 %

Full text of H- and EUH-statements: see section 16.

Additional information: Contains polyethylene glycol (CAS 25322-68-3). The maximum workplace exposure limits are, where necessary, listed in section 8.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

General information: If medical advice is needed, have product container or label at hand.  
 Take off contaminated clothing and wash it before reuse.

In case of inhalation:	If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Seek medical attention if problems persist.
Following skin contact:	Immediately clean with water and soap followed by thorough rinsing. In case of skin reactions, consult a physician.
After eye contact:	Immediately flush eyes with plenty of flowing water for 10 to 15 minutes holding eyelids apart. Remove contact lenses, if present and easy to do. Continue rinsing. Subsequently seek the immediate attention of an ophthalmologist.
After swallowing:	Rinse mouth immediately and drink plenty of water. Never give anything by mouth to an unconscious person. Do not induce vomiting. Seek medical attention.

#### 4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

Causes skin irritation.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media: Product is non-combustible. Extinguishing materials should therefore be selected according to surroundings.

Extinguishing media which must not be used for safety reasons:

Full water jet

### 5.2 Special hazards arising from the substance or mixture

Fires in the immediate vicinity may cause the development of dangerous vapours.

In case of fire may be liberated: Sodium compounds, sulphur oxides, phosphorus compounds, carbon monoxide and carbon dioxide.

### 5.3 Advice for firefighters

Special protective equipment for firefighters:

Wear a self-contained breathing apparatus and chemical protective clothing.

Additional information:

Hazchem-Code: -

Cool endangered containers with water spray and, if possible, remove from danger zone. Use water spray jet to knock down vapours. Do not inhale dust or gases/vapours generated by fire. Fire water reacts alkaline. Do not allow water used to extinguish fire to enter drains, ground or waterways. Fire residuals and contaminated extinguishing water must be disposed of in accordance with the regulations of the local authorities.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Avoid generation of dust. Do not breathe dust. Avoid contact with the substance.

If possible, eliminate leakage. Provide adequate ventilation.

Wear appropriate protective equipment. Keep unprotected people away.

Take off contaminated clothing and wash it before reuse.

### 6.2 Environmental precautions

Do not allow to enter into ground-water, surface water or drains.

If necessary notify appropriate authorities.

### 6.3 Methods and material for containment and cleaning up

Avoid generation of dust.

Take up mechanically, placing in appropriate containers for disposal.

Wash spill area with plenty of water.

## 6.4 Reference to other sections

Refer additionally to section 8 and 13.

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Advices on safe handling: Provide adequate ventilation, and local exhaust as needed. Avoid generation of dust. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear appropriate protective equipment. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

Precautions against fire and explosion: Usual measures for fire prevention.

## 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storerooms and containers: Keep container tightly closed and in a well-ventilated place. Keep container dry. Keep only in the original container. Protect from heat and direct sunlight.

Hints on joint storage: Do not store together with highly inflammable or combustible materials. Keep away from: Strong acids, alkalis. Keep away from food, drink and animal feedingstuffs.

## 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

## 8.1 Control parameters

Occupational exposure limit values:

Type	Limit value
Great Britain: WEL-TWA	10 mg/m <sup>3</sup> (Dust limit value, inhalable fraction)
Great Britain: WEL-TWA	4 mg/m <sup>3</sup> (Dust limit value, respirable fraction)

## 8.2 Exposure controls

Provide adequate ventilation. Dust should be exhausted directly at the point of origin.

## Personal protection equipment

### Occupational exposure controls

Respiratory protection: In case of dust formation: Dust mask/Particulates filter P2 according to EN 143. The filter class must be suitable for the maximum contaminant concentration (gas/vapour/aerosol/particulates) that may arise when handling the product.

Hand protection: In case of handling larger quantities: Protective gloves according to EN 374. Glove material: Nitrile rubber or butyl caoutchouc (butyl rubber). Observe glove manufacturer's instructions concerning penetrability and breakthrough time.

Eye protection: In case of handling larger quantities: Tightly sealed goggles according to EN 166.

Body protection: Wear suitable protective clothing.

General protection and hygiene measures: Avoid generation of dust. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling. Take off contaminated clothing and wash it before reuse. Have eye wash bottle or eye rinse ready at work place.

**Environmental exposure controls**

Refer to "6.2 Environmental precautions".

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

Appearance:	Physical state at 20 °C and 101.3 kPa: solid Form: Tablets Colour: white
Odour:	odourless
Odour threshold:	No data available
pH:	at 10%: 9 - 10
Melting point/freezing point:	No data available
Initial boiling point and boiling range:	No data available
Flash point/flash point range:	Not applicable
Evaporation rate:	No data available
Flammability:	No data available
Explosion limits:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	approx. 2 g/cm <sup>3</sup>
Water solubility:	soluble
Partition coefficient: n-octanol/water:	No data available
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Viscosity, kinematic:	No data available
Explosive properties:	No data available
Oxidizing characteristics:	No data available

**9.2 Other information**

Additional information: No data available

**SECTION 10: Stability and reactivity****10.1 Reactivity**

Product is hygroscopic.

**10.2 Chemical stability**

Stable under recommended storage conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reaction when handled and stored according to provisions.

**10.4 Conditions to avoid**

Humidity. Excessive heating. Avoid generation of dust.

**10.5 Incompatible materials**

Strong acids and alkalis

**10.6 Hazardous decomposition products**Thermal decomposition: No decomposition when used properly.  
No data available

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Toxicological effects: The statements are derived from the properties of the single components. No toxicological data is available for the product as such.

Acute toxicity (oral): Based on available data, the classification criteria are not met.  
ATEmix (calculated): 2,000 mg/kg < ATE ≤ 5,000 mg/kg.

Information about Potassium peroxymonosulfate:  
LD50 Rat, oral: 1,200 - 2,050 mg/kg.  
Harmful if swallowed.

Information about sodium percarbonate:  
LD50 Rat, oral: 1,034 - 2,020 mg/kg.  
Harmful if swallowed.

Acute toxicity (dermal): Lack of data.  
Acute toxicity (inhalative): Lack of data.  
Skin corrosion/irritation: Skin Irrit. 2; H315 = Causes skin irritation.  
Serious eye damage/irritation: Eye Dam. 1; H318 = Causes serious eye damage.  
Sensitisation to the respiratory tract: Lack of data.  
Skin sensitisation: Lack of data.  
Germ cell mutagenicity/Genotoxicity: Lack of data.  
Carcinogenicity: Lack of data.  
Reproductive toxicity: Lack of data.  
Effects on or via lactation: Lack of data.  
Specific target organ toxicity (single exposure): Lack of data.  
Specific target organ toxicity (repeated exposure): Lack of data.  
Aspiration hazard: Lack of data.

### Symptoms

In case of ingestion:  
Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.  
After eye contact: Upon direct contact with eyes may cause burning, tearing, redness.

## SECTION 12: Ecological information

### 12.1 Toxicity

Aquatic toxicity: Information about Potassium peroxymonosulfate:  
Bacterial toxicity:  
EC50 *Pseudomonas putida*: 179 mg/L/18h.  
Daphnia toxicity:  
NOEC *Daphnia magna* (Big water flea): 1.8 mg/L/24h (OECD 202).  
LC50 *Daphnia magna* (Big water flea): 5.3 mg/L/24h (OECD 202).  
Fish toxicity:  
NOEC *Danio rerio* (zebrafish): 32 mg/L/96h (OECD 203).

### 12.2 Persistence and degradability

Further details: The surfactant contained in this mixture complies with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

### 12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water:  
No data available

## 12.4 Mobility in soil

No data available

## 12.5 Results of PBT and vPvB assessment

No data available

## 12.6 Other adverse effects

General information: Contains phosphonates. May contribute to the eutrophication of water supplies.  
Do not allow to enter into ground-water, surface water or drains.

# SECTION 13: Disposal considerations

## 13.1 Waste treatment methods

### Product

Waste key number: 20 01 29\* = Detergents containing hazardous substances.  
\* = Evidence for disposal must be provided.

Recommendation: Dispose of waste according to applicable legislation.  
Smaller amounts: Dilute with plenty of water.

### Package

Recommendation: Waste key number 150101 - Paper and cardboard packaging  
Waste key number 150102 - Plastic packaging: PVC/PVDC  
Waste key number 150104 - Metallic packaging: Aluminium  
Dispose of waste according to applicable legislation. Handle contaminated packages in the same way as the substance itself.

# SECTION 14: Transport information

## 14.1 UN number

ADR/RID, IMDG, IATA-DGR: not applicable

## 14.2 UN proper shipping name

ADR/RID, IMDG, IATA-DGR: Not restricted

## 14.3 Transport hazard class(es)

ADR/RID, IMDG, IATA-DGR: not applicable

## 14.4 Packing group

ADR/RID, IMDG, IATA-DGR: not applicable

## 14.5 Environmental hazards

Marine pollutant: no

## 14.6 Special precautions for user

No dangerous good in sense of these transport regulations.

## 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

No data available

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### National regulations - Great Britain

Hazchem-Code: -

No data available

#### National regulations - EC member states

Further regulations, limitations and legal requirements:

Use restriction according to REACH annex XVII, no.: 75

### 15.2 Chemical Safety Assessment

For this mixture a chemical safety assessment is not required.

## SECTION 16: Other information

### Further information

Wording of the H-phrases under paragraph 2 and 3:

H315 = Causes skin irritation.

H318 = Causes serious eye damage.

H319 = Causes serious eye irritation.

H272 = May intensify fire; oxidiser.

H302 = Harmful if swallowed.

H335 = May cause respiratory irritation.

H290 = May be corrosive to metals.

H314 = Causes severe skin burns and eye damage.

H412 = Harmful to aquatic life with long lasting effects.

Abbreviations and acronyms:

Acute Tox.: Acute toxicity

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

Aquatic Chronic: Hazardous to the aquatic environment - chronic

AS/NZS: Australian Standards/New Zealand Standards

CAS: Chemical Abstracts Service

CFR: Code of Federal Regulations

CLP: Classification, Labelling and Packaging

DMEL: Derived minimal effect level

DNEL: Derived no-effect level

EC: European Community

EC50: Effective Concentration 50%

EN: European Standard

EQ: Excepted quantities

Eye Dam.: Eye damage

Eye Irrit.: Eye irritation

IATA: International Air Transport Association

IATA-DGR: International Air Transport Association – Dangerous Goods Regulations

IBC Code: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk

IMDG Code: International Maritime Dangerous Goods Code

LC50: Median lethal concentration

LD50: Lethal dose 50%

MARPOL: Maritime Pollution: The International Convention for the Prevention of Pollution from Ships

Met. Corr.: Corrosive to metals

NOEC: No Observed Effect Concentration

OSHA: Occupational Safety and Health Administration

Ox. Sol.: Oxidising solids

PBT: Persistent, bioaccumulative and toxic

PNEC: Predicted no-effect concentration

REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals

RID: Regulations Concerning the International Carriage of Dangerous Goods by Rail

Skin Corr.: Skin corrosion

Skin Irrit.: Skin irritation

STOT SE: Specific target organ toxicity - single exposure

TRGS: Technical Rules for Hazardous Substances

vPvB: Very persistent and very bioaccumulative

Reason of change:

Changes in section 3: Composition/information on ingredients

General revision

Date of first version:

26/6/2019



**Department issuing data sheet**

Contact person: see section 1: Department responsible for information

The information in this data sheet has been established to our best knowledge and was up-to-date at time of revision. It does not represent a guarantee for the properties of the product described in terms of the legal warranty regulations.

Most recent product information is available at  
<http://sumdat.net/nww5nva>

